AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the

application:

**Listing of Claims:** 

Claims 1-16 (Canceled).

Claim 17 (Previously Presented) A hair treatment applicator for applying a hair

treatment to hair, said hair treatment applicator comprising:

a handle; and

a head connected to said handle, said head comprising:

a first retaining structure comprising a first base, a first plurality of tines

extending from said first base, and a first baffle extending from said first base,

which together form a first retaining volume configured to hold said hair

treatment, receive a first strand of hair, and apply said hair treatment to said

first strand of hair;

a second retaining structure comprising a second base, a second plurality of

tines extending from said second base, and a second baffle extending from

said second base, which together form a second retaining volume configured

to hold said hair treatment, receive a second strand of hair, and apply said hair

treatment to said second strand of hair;

a passage extending between said first and second baffles, wherein said

passage is substantially free of said hair treatment and is configured to receive

a third strand of hair without exposing said third strand of hair to hair

treatment contained in said first and second retaining structures.

Page 2 of 12

Docket No. 9049

Amdt. dated August 27, 2008

Reply to Office Action mailed on

Customer No. 27752

Claim 18 (Previously Presented) A hair treatment applicator according to claim 17,

wherein said first plurality of tines extends substantially perpendicularly from said first base.

Claim 19 (Previously Presented) A hair treatment applicator according to claim 18,

wherein said second plurality of tines extends substantially perpendicularly from said second

base.

Claim 20 (Previously Presented) A hair treatment applicator according to claim 17,

wherein said handle is integrally molded with said retaining structures.

Claim 21 (Previously Presented) A hair treatment applicator according to claim 20

wherein said hair treatment applicator is injection molded as a single piece.

Claim 22 (Previously Presented) A hair treatment applicator according to claim 21,

wherein said hair treatment applicator is made from a moldable material selected from the

group consisting of polyethylene and polypropylene.

Claim 23 (Previously Presented) A hair treatment applicator according to claim 17,

wherein at least one of said first and second plurality of tines is frusto-conical in shape.

Claim 24 (Previously Presented) A hair treatment applicator according to claim 23,

wherein each of said first and second plurality of tines that is frusto-conical in shape has a

proximal end having a diameter from about 0.125 inches (about 0.318 cm) to about 0.3125

inches (about 0.794 cm) and a distal end having a diameter from about 0.0625 inches (about

0.159 cm) to about 0.375 inches (about 0.953 cm).

Page 3 of 12

Docket No. 9049

Amdt. dated August 27, 2008

Reply to Office Action mailed on

Customer No. 27752

Claim 25 (Previously Presented) A hair treatment applicator according to claim 17,

wherein each of said first and second plurality of tines has a height from about 0.25 inches

(about 0.64 cm) to about 1.0 inches (about 2.54 cm).

Claim 26 (Previously Presented) A hair treatment applicator according to claim 17,

wherein said passage has a width of at least about 0.25 inches (about 0.64 cm).

Claim 27 (Previously Presented) A combination hair treatment and hair treatment

applicator for applying said hair treatment to hair comprising:

a hair treatment applicator comprising:

a handle; and

a head connected to said handle, said head comprising:

a first retaining structure comprising a first base, a first plurality of

tines extending from said first base, and a first baffle extending from

said first base, which together form a first retaining volume configured

to hold said hair treatment, receive a first strand of hair, and apply said

hair treatment to said first strand of hair;

a second retaining structure comprising a second base, a second

plurality of tines extending from said second base, and a second baffle

extending from said second base, which together form a second

retaining volume configured to hold said hair treatment, receive a

second strand of hair, and apply said hair treatment to said second

strand of hair;

a passage extending between said first and second baffle, wherein said

passage is substantially free of said hair treatment and is configured to

receive a third strand of hair without exposing said third strand of hair

Page 4 of 12

Docket No. 9049

Amdt. dated August 27, 2008

Reply to Office Action mailed on

Customer No. 27752

to hair treatment contained in said first and second retaining structures;

and

a hair treatment contained in the first and second retaining structures of the hair

treatment applicator.

Claim 28 (New) The combination hair treatment and hair treatment applicator of claim 27,

wherein said first plurality of tines is disposed on said first base such that each of said

plurality of tines is comprised within a first row of two or more tines aligned in a direction

substantially parallel to said longitudinal axis of said handle and a second row of two or more

tines aligned in a direction substantially perpendicular to said longitudinal axis of said

handle, and wherein said second plurality of tines is disposed on said second base such that

each of said plurality of tines is comprised within a first row of two or more tines aligned in a

direction substantially parallel to said longitudinal axis of said handle and a second row of

two or more tines aligned in a direction substantially perpendicular to said longitudinal axis

of said handle.

Claim 29 (New) A hair treatment applicator for applying a hair treatment to hair, said hair

treatment applicator comprising:

a handle; and

a head connected to said handle, said head comprising:

a first retaining structure comprising a first base, a first plurality of tines

extending from said first base, wherein said first plurality of tines is disposed

on said first base such that each of said plurality of tines is comprised within a

first row of two or more tines aligned in a direction substantially parallel to

said longitudinal axis of said handle and a second row of two or more tines

aligned in a direction substantially perpendicular to said longitudinal axis of

said handle, and a first baffle extending from said first base, which together

Page 5 of 12

Docket No. 9049

Amdt. dated August 27, 2008

Reply to Office Action mailed on

Customer No. 27752

form a first retaining volume configured to hold said hair treatment, receive a

first strand of hair, and apply said hair treatment to said first strand of hair;

a second retaining structure comprising a second base, a second plurality of

tines extending from said second base, wherein said second plurality of tines

is disposed on said second base such that each of said plurality of tines is

comprised within a first row of two or more tines aligned in a direction

substantially parallel to said longitudinal axis of said handle and a second row

of two or more tines aligned in a direction substantially perpendicular to said

longitudinal axis of said handle, and a second baffle extending from said

second base, which together form a second retaining volume configured to

hold said hair treatment, receive a second strand of hair, and apply said hair

treatment to said second strand of hair;

a passage extending between said first and second baffles, wherein said

passage is substantially free of said hair treatment and is configured to receive

a third strand of hair without exposing said third strand of hair to hair

treatment contained in said first and second retaining structures.

Page 6 of 12